



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation HP ElectroInk 3.1 Yellow
MPS-2134-43

Product use HP product for use with HP Indigo Digital Presses 1000 series, 2000 series.

Version # 06

Revision date 22-Jul-2011

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects

Skin contact Any potential hazards are presumed to be due to exposure to the components.
Petroleum hydrocarbon
Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Eye contact *Petroleum hydrocarbon*
Slightly irritating but does not injure eye tissue. Direct contact with the eye may cause discomfort and redness.

Inhalation As a paste, the risk for lung damage is unlikely.
Petroleum hydrocarbon
Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Ingestion *Petroleum hydrocarbon*
Small amounts of this product, if aspirated into the lungs, may cause mild to severe pulmonary injury.

Potential health effects

Routes of exposure Potential routes of exposure to this product are skin and eye contact, ingestion and inhalation.

Chronic health effects Prolonged or repeated skin contact may cause skin irritation or allergic skin sensitization reaction.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Petroleum hydrocarbon	90622-58-5	70 - 80
C.I.P.Y. 13 No.21100	5102-83-0	2.5 - 5

Composition comments This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. Do not apply neutralizing agents.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation	If overcome by vapor, remove person from exposure to fresh air. If breathing is difficult, give oxygen. If symptoms persist, get medical attention.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing media	Suitable extinguishing media: Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	None known.

Protection of firefighters

Specific hazards arising from the chemical	None known.
Protective equipment and precautions for firefighters	Move containers from fire area if you can do it without risk. Evacuate area and fight fire from a safe distance.

Hazardous combustion products	Refer to section 10.
--------------------------------------	----------------------

6. Accidental Release Measures

Personal precautions	Wear appropriate personal protective equipment.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Other information	In case of large spills, follow all facility emergency response procedures. Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling	Avoid prolonged or repeated skin contact with this material. Avoid contact with skin, eyes and clothing. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.
Storage	Keep away from excessive heat or cold. Store in a cool and shaded area. Do not store in direct sunlight.

8. Exposure Controls / Personal Protection

Exposure guidelines	Manufacturer recommended exposure limit based on petroleum hydrocarbon at > 75%. TWA = 171ppm (1200 mg/m ³).
Engineering controls	Use in a well ventilated area.
Personal protective equipment	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
General	Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance	Paste
Color	Yellow
Odor	mild hydrocarbon-like

Odor threshold	Not available.
Physical state	Solid
Form	Not available.
pH	Not available.
Melting point	Not available.
Freezing point	Not available.
Boiling point	370.4 °F (188 °C) (based on petroleum hydrocarbon)
Flash point	147.2 °F (64 °C) Pensky-Martens Closed Cup (based on petroleum hydrocarbon)
Evaporation rate	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	0.829
Relative density	Not available.
Solubility (water)	Not soluble
Auto-ignition temperature	392 °F (200 °C) (based on petroleum hydrocarbon)
Decomposition temperature	Not available.
VOC	625 g/L

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions. Azodyes when processed to printing inks, paints and plastics, begin to decompose at 390°F (200°C) and 3, 3'-dichlorobenzidine can also be formed at /above 390°F (200°C). This product is not recommended for applications where this temperature is obtained/ exceeded.
Incompatible materials	This product may react with strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Toxicological information	Refer to Section 2 for potential health effects and Section 4 for first aid measures.
Serious eye damage/eye irritation	Not available.
Further information	The ink formulation has not been tested.

12. Ecological Information

Aquatic toxicity	This product has not been tested for ecological effects.
Persistence and degradability	Not available.

13. Disposal Considerations

Disposal instructions	Dispose of in compliance with federal, state, and local regulations.
------------------------------	--

14. Transport Information

Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
DOT	Not regulated as dangerous goods.

IATA**Basic shipping requirements:**

Proper shipping name	Not applicable
Hazard class	Not applicable
UN number	none
Packing group	none
Additional information:	
Packaging exceptions	none

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical No

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings Health: 1
Flammability: 2
Physical hazard: 0

NFPA ratings Health: 1
Flammability: 2
Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 22-Jul-2011

This data sheet contains changes from the previous version in section(s):

- 1. Product and Company Identification: Product use
- 9. Physical & Chemical Properties: Color
- 11. Toxicological Information: Toxicological information
- 14. Transport Information: Further information

Manufacturer information

Hewlett-Packard Indigo BV
Startbaan 16
1187 XR Amstelveen
The Netherlands
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds